Brain Research, 564 (1991) 358–359
Elsevier

Author Index

Addae, J.I., see Bartrup, J.T., 323
Agarwal, R.P., see Bruce, J.H., 167
Althaus, J.S., see Hudson, C.J., 261
Annels, S.J., Ellis, Y. and Davies, J.A., Non-opioid antitussives inhibit endogenous glutamate release from rabbit hippocampal slices, 341
Atkinson, L.J., see Robertson, G.S., 352

Baethmann, A., see Brust, P., 91
Bartrup, J.T., Addae, J.I. and Stone, T.W., Depression of purine induced inhibition during NMDA receptor mediated activation of hippocampal pyramidal cells — an iontophoretic study, 323
Beaudet, A., see Mazella, J., 249
Bennie, J.G., see Smith, G.D., 27
Bickford-Wimer, P., see Strömberg, I., 279
Blanco, R.E., see Lugo-García, N., 19
Bohnett, M., see Messer Jr., W.S., 66
Bohnett, M., see Messer Jr., W.S., 73
Bouthenet, M.-L., Souil, E., Martres, M.-P., Sokoloff, P., Giros, B. and Schwartz, J.-C., Localization of dopamine D_3 receptor mRNA in the rat brain using in situ hybridization histochemistry: comparison with dopamine D_2 receptor mRNA, 203
Brown, A.G., see Todd, A.J., 132
Bruce, E.N., see Jung, R., 286
Bruce, J.H., Ramirez, A.M., Lin, L., Oracion, A., Agarwal, R.P. and Norenberg, M.D., Peripheral-type benzodiazepines inhibit proliferation of astrocytes in culture, 167
Brust, P., Baethmann, A., Gjedde, A. and Ermisch, A., Atrial natriuretic peptide augments the blood–brain transfer of water but not leucine and glucose, 91

Cadet, J.L., Kujirai, K. and Przedborski, S., Bilateral modulation of [^{3}H]neurotensin binding by unilateral intrastriatal 6-hydroxydopamine injections: evidence from a receptor autoradiographic study, 37
Cammer, W., see Tansey, F.A., 31
Carroll, S.M., see Smith, G.D., 27
Casagrande, V.A., see Lachica, E.A., 1
Chabry, J., see Mazella, J., 249
Coghill, R.C., see Price, D.D., 314
Chiel, H.J., see Morton, D.W., 45
Cicciarello, R., see Price, D.D., 314
Ciricillo, S.F., Jasper, M.P., Gonzalez, M.F. and Sharp, F.R., Long experimental durations are required for double label [^{14}C]- and [^{3}H]2-deoxyglucose autoradiographic methods, 171
Cohen, L.B., see Morton, D.W., 45
Coirini, H., see Schumacher, M., 102
Collins, R.L., Reimpressed selective breeding for lateralization of handedness in mice, 194
Coopersmith, R., Weihmuller, F.B., Kirstein, C.L., Marshall, J.F. and Leon, M., Extracellular dopamine increases in the neonatal olfactory bulb during odor preference training, 149
Crockett, D.P., see Maslany, S., 56

d'Acella, D., see Price, D.D., 314
Davies, J.A., see Annels, S.J., 341
De la Torre, J.C., see Harman, K., 332
Deiana, G.A., see Sechi, G., 154
Dick, H., see Smith, G.D., 27
Dubuc, R., see Ohta, Y., 143
D'Arcangelo, G., Grassi, F., Ragozzino, D., Santoni, A., Tancredi, V. and Eusebi, F., Interferon inhibits synaptic potentiation in rat hippocampus, 245

Egger, M.D., see Maslany, S., 56
Ellerbrock, B.R., see Messer Jr., W.R., 73
Ellis, Y., see Annels, S.J., 341
Ermisch, A., see Brust, P., 91
Eusebi, F., see D'Arcangelo, G., 245
Ezure, K., Otake, K., Lipski, J. and Wong She, R.B., Efferent projections of pulmonary rapidly adapting receptor relay neurons in the cat, 268

Fibiger, H.C., see Robertson, G.S., 352
Fink, D.J., see Mata, M., 328
Fiori, M.G., see Price, D.D., 314
Fuduka, H., see Ono, H., 319

García-Segura, L.M., see Torres-Alemán, I., 348
Gilbert, M.E. and Peterson, G.M., Colchicine-induced deafferentation of the hippocampus selectively disrupts cholinergic rhythmical slow wave activity, 117
Gilbert, M.E., Potentiation of inhibition with perforant path kindling: an NMDA-receptor dependent process, 109
Giros, B., see Bouthenet, M.-L., 203
Gjedde, A., see Brust, P., 91
Gonzalez, M.F., see Ciricillo, S.F., 171
Grassi, F., see D'Arcangelo, G., 245
Greenwood, R.S., see Meeker, R.B., 181
Greeson, D.M., see Moix, L.J., 176
Grillner, S., see Ohta, Y., 143

Harman, K., Katnick, J., Lim, R., Zaheer, A. and De la Torre, J.C., Glia maturation factor β stimulates axon regeneration in transected rat sciatic nerve, 332
Harmar, A.J., see Smith, G.D., 27
Hasebe, Y., see Ono, H., 319
Hayes, R.L., see Price, D.D., 314
Hayward, J.N., see Meeker, R.B., 181
Hirobe, M., see Ono, H., 319
Hof, P.R., Perl, D.P., Loerzel, A.J. and Morrison, J.H., Neurofibrillary tangle distribution in the cerebral cortex of parkinsonism-dementia cases from Guam: differences with Alzheimer's disease, 306
Hofmann, M.H. and Meyer, D.L., Functional subdivisions of the olfactory system correlate with lectin- binding properties in *Xenopus*, 344
Hudson, C.J., Von Voigtlander, P.F., Althaus, J.S., Scherch, H.M. and Means, E.D., The kappa opioid-related anticonvulsants U-50488H and U-54494A attenuate *N*-methyl-D-aspartate induced brain injury in the neonatal rat, 261
Hyndman, A.G., High affinity binding of transferrin in cultures of embryonic neurons from the chick retina, 127

Isacson, O., see Levisohn, L.F., 230

Janeczko, K., The proliferative response of S-100 protein-positive glial cells to injury in the neonatal rat brain, 86
Jasper, M.P., see Ciricillo, S.F., 171
Johnson, C.G., see Johnson, C.L., 79
Johnson, C.L. and Johnson, C.G., Tumor necrosis factor and interleukin-1 down-regulate receptors for substance P in human astrocytoma cells, 79
Jones, L.S., Naloxone blocks antiepileptogenic properties of an in vitro electroconvulsive shock model, 336
Jung, R., Bruce, E.N. and Katona, P.G., Cardiorespiratory responses to glutamatergic antagonists in the caudal ventrolateral medulla of rats, 286

Katnick, J., see Harman, K., 332
Katona, P.G., see Jung, R., 286
Kirstein, C.L., see Coopersmith, R., 149
Kita, H. and Kitai, S.T., Intracellular study of rat globus pallidus neurons: membrane properties and responses to neostriatal, subthalamic and nigral stimulation, 296
Kitabgi, P., see Mazella, J., 249
Kitai, S.T., see Kita, H., 296
Kujirai, K., see Cadet, J.L., 37
Kupina, N., see Mata, M., 328

Lachica, E.A., Mavity-Hudson, J.A. and Casagrande, V.A., Morphological details of primate axons and dendrites revealed by extracellular injection of biocytin: an economic and reliable alternative to PHA-L, 1
Leon, M., see Coopersmith, R., 149
Leonard, K., see Mazella, J., 249
Leung, L.S., see Zhao, D., 220
Levisohn, L.F. and Isacson, O., Excitotoxic lesions of the rat entorhinal cortex. Effects of selective neuronal damage on acquisition and retention of a non-spatial reference memory task, 230
Lim, R., see Harman, K., 332
Lin, L., see Bruce, J.H., 167
Lipski, J., see Ezure, K., 268

Brain Research, 564 (1991) 358–359
Elsevier

Author Index

Addae, J.I., see Bartrup, J.T., 323
Agarwal, R.P., see Bruce, J.H., 167
Althaus, J.S., see Hudson, C.J., 261
Annels, S.J., Ellis, Y. and Davies, J.A., Non-opioid antitussives inhibit endogenous glutamate release from rabbit hippocampal slices, 341
Atkinson, L.J., see Robertson, G.S., 352

Baethmann, A., see Brust, P., 91
Bartrup, J.T., Addae, J.I. and Stone, T.W., Depression of purine induced inhibition during NMDA receptor mediated activation of hippocampal pyramidal cells — an iontophoretic study, 323
Beaudet, A., see Mazella, J., 249
Bennie, J.G., see Smith, G.D., 27
Bickford-Wimer, P., see Strömberg, I., 279
Blanco, R.E., see Lugo-García, N., 19
Bohnett, M., see Messer Jr., W.S., 66
Bohnett, M., see Messer Jr., W.S., 73
Bouthenet, M.-L., Souil, E., Martres, M.-P., Sokoloff, P., Giros, B. and Schwartz, J.-C., Localization of dopamine D_3 receptor mRNA in the rat brain using in situ hybridization histochemistry: comparison with dopamine D_2 receptor mRNA, 203
Brown, A.G., see Todd, A.J., 132
Bruce, E.N., see Jung, R., 286
Bruce, J.H., Ramirez, A.M., Lin, L., Oracion, A., Agarwal, R.P. and Norenberg, M.D., Peripheral-type benzodiazepines inhibit proliferation of astrocytes in culture, 167
Brust, P., Baethmann, A., Gjedde, A. and Ermisch, A., Atrial natriuretic peptide augments the blood–brain transfer of water but not leucine and glucose, 91

Cadet, J.L., Kujirai, K. and Przedborski, S., Bilateral modulation of [^{3}H]neurotensin binding by unilateral intrastriatal 6-hydroxydopamine injections: evidence from a receptor autoradiographic study, 37
Cammer, W., see Tansey, F.A., 31
Carroll, S.M., see Smith, G.D., 27
Casagrande, V.A., see Lachica, E.A., 1
Chabry, J., see Mazella, J., 249
Coghill, R.C., see Price, D.D., 314
Chiel, H.J., see Morton, D.W., 45
Cicciarello, R., see Price, D.D., 314
Ciricillo, S.F., Jasper, M.P., Gonzalez, M.F. and Sharp, F.R., Long experimental durations are required for double label [^{14}C]- and [^{3}H]2-deoxyglucose autoradiographic methods, 171
Cohen, L.B., see Morton, D.W., 45
Coirini, H., see Schumacher, M., 102
Collins, R.L., Reimpressed selective breeding for lateralization of handedness in mice, 194
Coopersmith, R., Weihmuller, F.B., Kirstein, C.L., Marshall, J.F. and Leon, M., Extracellular dopamine increases in the neonatal olfactory bulb during odor preference training, 149
Crockett, D.P., see Maslany, S., 56

d'Acella, D., see Price, D.D., 314
Davies, J.A., see Annels, S.J., 341
De la Torre, J.C., see Harman, K., 332
Deiana, G.A., see Sechi, G., 154
Dick, H., see Smith, G.D., 27
Dubuc, R., see Ohta, Y., 143
D'Arcangelo, G., Grassi, F., Ragozzino, D., Santoni, A., Tancredi, V. and Eusebi, F., Interferon inhibits synaptic potentiation in rat hippocampus, 245

Egger, M.D., see Maslany, S., 56
Ellerbrock, B.R., see Messer Jr., W.R., 73
Ellis, Y., see Annels, S.J., 341
Ermisch, A., see Brust, P., 91
Eusebi, F., see D'Arcangelo, G., 245
Ezure, K., Otake, K., Lipski, J. and Wong She, R.B., Efferent projections of pulmonary rapidly adapting receptor relay neurons in the cat, 268

Fibiger, H.C., see Robertson, G.S., 352
Fink, D.J., see Mata, M., 328
Fiori, M.G., see Price, D.D., 314
Fuduka, H., see Ono, H., 319

García-Segura, L.M., see Torres-Alemán, I., 348
Gilbert, M.E. and Peterson, G.M., Colchicine-induced deafferentation of the hippocampus selectively disrupts cholinergic rhythmical slow wave activity, 117
Gilbert, M.E., Potentiation of inhibition with perforant path kindling: an NMDA-receptor dependent process, 109
Giros, B., see Bouthenet, M.-L., 203
Gjedde, A., see Brust, P., 91
Gonzalez, M.F., see Ciricillo, S.F., 171
Grassi, F., see D'Arcangelo, G., 245
Greenwood, R.S., see Meeker, R.B., 181
Greeson, D.M., see Moix, L.J., 176
Grillner, S., see Ohta, Y., 143

Harman, K., Katnick, J., Lim, R., Zaheer, A. and De la Torre, J.C., Glia maturation factor β stimulates axon regeneration in transected rat sciatic nerve, 332
Harmar, A.J., see Smith, G.D., 27
Hasebe, Y., see Ono, H., 319
Hayes, R.L., see Price, D.D., 314
Hayward, J.N., see Meeker, R.B., 181
Hirobe, M., see Ono, H., 319
Hof, P.R., Perl, D.P., Loerzel, A.J. and Morrison, J.H., Neurofibrillary tangle distribution in the cerebral cortex of parkinsonism-dementia cases from Guam: differences with Alzheimer's disease, 306
Hofmann, M.H. and Meyer, D.L., Functional subdivisions of the olfactory system correlate with lectin- binding properties in *Xenopus*, 344
Hudson, C.J., Von Voigtlander, P.F., Althaus, J.S., Scherch, H.M. and Means, E.D., The kappa opioid-related anticonvulsants U-50488H and U-54494A attenuate *N*-methyl-D-aspartate induced brain injury in the neonatal rat, 261
Hyndman, A.G., High affinity binding of transferrin in cultures of embryonic neurons from the chick retina, 127

Isacson, O., see Levisohn, L.F., 230

Janeczko, K., The proliferative response of S-100 protein-positive glial cells to injury in the neonatal rat brain, 86
Jasper, M.P., see Ciricillo, S.F., 171
Johnson, C.G., see Johnson, C.L., 79
Johnson, C.L. and Johnson, C.G., Tumor necrosis factor and interleukin-1 down-regulate receptors for substance P in human astrocytoma cells, 79
Jones, L.S., Naloxone blocks antiepileptogenic properties of an in vitro electroconvulsive shock model, 336
Jung, R., Bruce, E.N. and Katona, P.G., Cardiorespiratory responses to glutamatergic antagonists in the caudal ventrolateral medulla of rats, 286

Katnick, J., see Harman, K., 332
Katona, P.G., see Jung, R., 286
Kirstein, C.L., see Coopersmith, R., 149
Kita, H. and Kitai, S.T., Intracellular study of rat globus pallidus neurons: membrane properties and responses to neostriatal, subthalamic and nigral stimulation, 296
Kitabgi, P., see Mazella, J., 249
Kitai, S.T., see Kita, H., 296
Kujirai, K., see Cadet, J.L., 37
Kupina, N., see Mata, M., 328

Lachica, E.A., Mavity-Hudson, J.A. and Casagrande, V.A., Morphological details of primate axons and dendrites revealed by extracellular injection of biocytin: an economic and reliable alternative to PHA-L, 1
Leon, M., see Coopersmith, R., 149
Leonard, K., see Mazella, J., 249
Leung, L.S., see Zhao, D., 220
Levisohn, L.F. and Isacson, O., Excitotoxic lesions of the rat entorhinal cortex. Effects of selective neuronal damage on acquisition and retention of a non-spatial reference memory task, 230
Lim, R., see Harman, K., 332
Lin, L., see Bruce, J.H., 167
Lipski, J., see Ezure, K., 268

Loerzel, A.J., see Hof, P.R., 306
Lugo-García, N. and Blanco, R.E., Localization of GAD- and GABA-like immunoreactivity in ground squirrel retina: retrograde labeling demonstrates GAD-positive ganglion cells, 19

MacVicar, B.A., see Williams, P.J., 12
Mao, J., see Price, D.D., 314
Marshall, J.F., see Coopersmith, R., 149
Marshall, J.F., see O'Dell, S.J., 249
Martres, M.-P., see Bouthenet, M.-L., 203
Maslany, S., Crockett, D.P. and Egger, M.D., Somatotopic organization of the dorsal column nuclei in the rat: transganglionic labelling with B-HRP and WGA-HRP, 56
Mata, M., Kupina, N. and Fink, D.J., Calpain II in rat peripheral nerve, 328
Matsumura, H., see Robertson, G.S., 352
Mavity-Hudson, J.A., see Lachica, E.A., 1
Maxwell, D.J., see Todd, A.J., 132
Mayer, D.J., see Price, D.D., 314
Mazella, J., Leonard, K., Chabry, J., Kitabgi, P., Vincent, J.-P. and Beaudet, A., Binding and internalization of iodinated neurotensin in neuronal cultures from embryonic mouse brain, 249
McEwen, B.S., see Schumacher, M., 102
Means, E.D., see Hudson, C.J., 261
Meeker, R.B., Swanson, D.J., Greenwood, R.S. and Hayward, J.N., Ultrastructural distribution of glutamate immunoreactivity within neurosecretory endings and pituicytes of the rat neurohypophysis, 181
Messer Jr., W.S., Stibbe, J.R. and Bohnett, M., Involovement of the septohippocampal cholinergic system in representational memory 66
Messer Jr., W.S., Ellerebrock, B.R. and Bohnett, M., Regulation of muscarinic receptors by intrahippocampal injections of gallamine 73
Meyer, D.L., see Hofmann, M.H., 344
Moix, L.J., Greeson, D.M. and Wiley, R.G., Separate signals mediate hypoglossal motor neuron response to axonal injury, 176
Morrison, J.H., see Hof, P.R., 306
Morton, D.W., Chiel, H.J., Cohen, L.B. and Wu, J.-Y., Optical methods can be utilized to map the location and activity of putative motor neurons and interneurons during rhythmic patterns of activity in the buccal ganglion of *Aplysia*, 45

Nagao, S., see Tsuchida, T., 164
Nagao, T., see Ono, H., 319
Norenberg, M.D., see Bruce, J.H., 167

O'Dell, S.J., Weihmuller, F.B. and Marshall, J.F., Binding and internalization of iodinated neurotensin in neuronal cultures from embryonic mouse brain, 249
Ohmoto, T., see Tsuchida, T., 164
Ohta, S., see Ono, H., 319
Ohta, Y., Dubuc, R. and Grillner, S., A new population of neurons with crossed axons in the lamprey spinal cord, 143
Ono, H., Hasebe, Y., Satoh, M., Nagao, T., Ohta, S., Hirobe, M. and Fuduka, H., Amphetamine-antagonistic properties of 4-phenyl-1,2,3,4-tetrahydroisoquinoline: inhibition of spinal reflex-enhancing effects of methamphetamine, phenylethylamine and nomifensine, 319
Oracion, A., see Bruce, J.H., 167
Otake, K., see Ezure, K., 268

Pérez-Jaranay, J.M. and Vives, F., Electrophysiological study of the response of medial prefrontal cortex neurons to stimulation of the basolateral nucleus of the amygdala in the rat, 97
Perl, D.P., see Hof, P.R., 306
Peterson, G.M., see Gilbert, M.E., 117
Petruzzi, V., see Sechi, G., 154
Pfaus, J.G., see Robertson, G.S., 352
Phillips, A.G., see Robertson, G.S., 352
Pittman, Q.J., see Williams, P.J., 12
Pons, S., see Torres-Alemán, I., 348
Prasad, A., see Reynolds, J.N., 138
Price, D.D., Mao, J., Coghill, R.C., d'Acella, D., Cicciarello, R., Fiori, M.G., Mayer, D.J. and Hayes, R.L., Regional changes in spinal cord glucose metabolism in a rat model of painful neuropathy, 314
Przedborski, S., see Cadet, J.L., 37

Ragozzino, D., see D'Arcangelo, G., 245
Ramirez, A.M., see Bruce, J.H., 167
Reynolds, J.N. and Prasad, A., Ethanol enhances $GABA_A$ receptor-activated chloride currents in chick cerebral cortical neurons, 138
Riu, P.D., see Sechi, G., 154
Robertson, G.S., Pfaus, J.G., Atkinson, L.J., Matsumura, H., Phillips, A.G. and Fibiger, H.C., Sexual behavior increases c-*fos* expression in the forebrain of the male rat, 352
Rosati, G., see Sechi, G., 154
Rubattu, L., see Sechi, G., 154

Santoni, A., see D'Arcangelo, G., 245
Satoh, M., see Ono, H., 319
Scherch, H.M., see Hudson, C.J., 261
Schumacher, M., Coirini, H., McEwen, B.S. and Záborszky, L., Binding of [^{3}H]cholecystokinin in the ventromedial hypothalamus is modulated by an afferent brainstem projection but not by ovarian steroids, 102
Schwartz, J.-C., see Bouthenet, M.-L., 203
Sechi, G., Petruzzi, V., Rosati, G., Rubattu, L., Tanda, F., Deiana, G.A. and Riu, P.D., Brain interstitial fluid collected through implanted tissue cages, 154
Seckl, J.R., see Smith, G.D., 27
Sharp, F.R., see Ciricillo, S.F., 171
Sheward, W.J., see Smith, G.D., 27
Smith, G.D., Seckl, J.R., Sheward, W.J., Bennie, J.G., Carroll, S.M., Dick, H. and Harmar, A.J., Effect of adrenalectomy and dexamethasone on neuropeptide content of dorsal root ganglia in the rat, 27
Sokoloff, P., see Bouthenet, M.-L., 203
Souil, E., see Bouthenet, M.-L., 203
Stibbe, J.R., see Messer Jr., W.S., 66
Stone, T.W., see Bartrup, J.T., 323
Strömberg, I. and Bickford-Wimer, P., Effects of locally applied D_1 and D_2 agonists on striatal neurons with 6-OHDA and pertussis toxin lesions, 279
Supko, D.E., Uretsky, N.J. and Wallace, L.J., Activation of AMPA/kainic acid glutamate receptors in the zona incerta stimulates locomotor activity, 159
Swanson, D.J., see Meeker, R.B., 181

Tancredi, V., see D'Arcangelo, G., 245
Tanda, F., see Sechi, G., 154
Tansey, F.A. and Cammer, W., Depletion of glutathione interferes with induction of glycerolphosphate dehydrogenase in the brains of young rats, 31
Todd, A.J., Maxwell, D.J. and Brown, A.G., Relationships between hair-follicle afferent axons and glycine-immunoreactive profiles in cat spinal dorsal horn, 132
Torres-Alemán, I., Pons, S. and García-Segura, L.M., Climbing fiber deafferentation reduces insulin-like growth factor I (IGF-I) content in cerebellum, 348
Tsuchida, T., Nagao, S. and Ohmoto, T., The fine structure of the S-100 protein positive cells in the rat pituitary gland: an immunoelectron microscopic study, 164

Uretsky, N.J., see Supko, D.E., 159

Vincent, J.-P., see Mazella, J., 249
Vives, F., see Pérez-Jaranay, J.M., 97
Von Voigtlander, P.F., see Hudson, C.J., 261

Wallace, L.J., see Supko, D.E., 159
Weihmuller, F.B., see Coopersmith, R., 149
Weihmuller, F.B., see O'Dell, S.J., 249
Wiley, R.G., see Moix, L.J., 176
Williams, P.J., Pittman, Q.J. and MacVicar, B.A., Ca^{2+}- and voltage-dependent inactivation of Ca^{2+} currents in rat intermediate pituitary, 12
Wong She, R.B., see Ezure, K., 268
Wu, J.-Y., see Morton, D.W., 45

Záborszky, L., see Schumacher, M., 102
Zaheer, A., see Harman, K., 332
Zhao, D. and Leung, L.S., Effects of hippocampal kindling on paired-pulse response in CA1 in vitro, 220